


Part number

CIF X17 2.4



Interface for printed circuit, 17 poles, for CX 17 DF/M inserts, for up to 2,4 mm thick PCB


Product description		Material properties	
Product type	Interface for printed circuit	Main material	Polycarbonate (PC)
N. of poles	17 poles	Other materials	Contacts: copper alloy
Specification	For CX 17 DF/M inserts For up to 2,4 mm thick PCB	Colour	RAL 7032 grey
Technical data		RoHS conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Rated voltage according to UL/CSA	160 V	China RoHS - EFUP	50
Contact type	Turned gold plated	REACH SVHC substances	Yes Lead
Further technical details		SCIP number	022a8a72-7a4c-443a-a1ad-2461ccc7884c
Characteristics according to EN 61984	7,5 A 160 V 2,5 kV 3	Approvals / Standards	
Insulation resistance	≥ 10 GΩ	Certifications	DNV
Weight	7,50 g	General ordering information	
Operating temperature range (min, max)	-40°C...+125°C	EAN13 code	8015747274593
		eCl@ss 8.1	27449290
		ETIM 7.0	EC002637
		Packaging Information	
		Packaging length	112,00 mm
		Packaging height	95,00 mm
		Packaging width	117,00 mm
		Packaging weight	0,54 kg
		Packaging volume	1,24 dm ³
		Packaging description	Carton box
		Packaging quantity	48 Pcs
		Packaging EAN code	8015747181648
		Sub-packaging length	50,00 mm
		Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,07 kg
		Sub-packaging volume	0,11 dm ³
		Sub-packaging description	Plastic box
		Sub-packaging quantity	6 Pcs
		Sub-packaging EAN barcode	8015747281119

Part number

CIF X17 2.4



Catalogue drawings



Catalogue drawings

