

Part number

CIFA 0.2



Female crimp contact, CI series, 5 A, turned silver plated, wire cross section 0,08 - 0,21 mm², AWG 28 - 24


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CI		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Female	RoHs conformity	6(c): copper alloy containing up to 4% lead by weight
Technical data		China RoHs - EFUP	50
Current	5 A	REACH SVHC substances	Yes Lead
Wire cross-section	0,08 mm ² - 0,21 mm ²	SCIP number	C0979fba-9907-458f-a94a-db781440f273
AWG size	28 - 24	Approvals / Standards	
Contact type	Turned silver plated	Certifications	CSA, EAC
Further technical details		UL	ECBT2
Weight	0,25 g	General ordering information	
Conductors stripping length	4 mm	EAN13 code	8015747212731
		eCl@ss 8.1	27440204
		ETIM 7.0	EC000796
		Packaging Information	
		Packaging weight	0,31 kg
		Packaging description	Carton box
		Packaging quantity	1000 Pcs
		Packaging EAN code	8015747258487
		Sub-packaging length	75,00 mm
		Sub-packaging height	89,00 mm
		Sub-packaging width	110,00 mm
		Sub-packaging volume	0,73 dm ³
		Sub-packaging description	Plastic bag
		Sub-packaging quantity	25 Pcs
		Sub-packaging EAN barcode	8015747212793

Part number

CIFA 0.2



Catalogue drawings



CIF contacts

conductor section mm ²	conductor slot ø A (mm)	conductors stripping length (mm)
0,08-0,21	0,64	4
0,13-0,33	0,90	4
0,33-0,52	1,12	4

max insulation diameter: 1,7 mm