


Part number

# CQM 12 CIF



Male insert, CQ series, crimp connection, 12 poles + PE, 7,5 A 250 V 4 kV 3, size "21.21", for PCB adapter CIF Q12 2.4, PE contact pin diameter 1 mm

Product description		Material properties	
<b>Product type</b>	Insert	<b>Main material</b>	Polycarbonate (PC)
<b>Series</b>	CQ	<b>Other materials</b>	Gasket: NBR
<b>Connection type</b>	Crimp connection	<b>Colour</b>	RAL 7032 grey
<b>Gender</b>	Male	<b>RoHs conformity</b>	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
<b>N. of poles</b>	12 poles + 	<b>China RoHs - EFUP</b>	50
<b>Size</b>	Size "21.21"	<b>REACH SVHC substances</b>	Yes Lead
<b>Specification</b>	PE contact pin diameter 1 mm For PCB adapter	<b>SCIP number</b>	1a9c93ff-0445-4a16-81e3-1609ac5274d6
Technical data		Approvals / Standards	
<b>Current</b>	7 A	<b>UL</b>	ECBT2
<b>Voltage</b>	250 V	<b>cUL</b>	ECBT8
<b>Rated impulse withstand voltage</b>	4 kV	General ordering information	
<b>Pollution degree</b>	3	<b>EAN13 code</b>	8015747270687
<b>IP degree of protection</b>	IP20 without enclosure, IP66/IP67/IP68/IP69 with enclosure	<b>eCl@ss 8.1</b>	27440205
Further technical details		<b>ETIM 7.0</b>	EC000438
<b>Characteristics according to EN 61984</b>	7,5 A 250 V 4 kV 3	Packaging Information	
<b>Weight</b>	11,50 g	<b>Sub-packaging description</b>	Plastic bag
<b>Operating temperature range (min, max)</b>	-40 °C ... +125 °C	<b>Sub-packaging quantity</b>	1 Pcs
		<b>Sub-packaging EAN barcode</b>	8015747270700

Part number

# CQM 12 CIF



Catalogue drawings

