

Part number

# MKA VG20



Hood, CKA series, with 1 lever, M20 top cable entry, size "21.21"

Product description		Material properties	
<b>Product type</b>	Hood	<b>Main material</b>	Zinc die-cast
<b>Series</b>	CKA	<b>Other materials</b>	Lever: Galvanized steel
<b>Closing type</b>	With 1 lever	<b>Colour</b>	RAL 7040 grey
<b>Size</b>	Size "21.21"	<b>RoHs conformity</b>	Compliant
<b>Cable entry</b>	Top cable entry M20	<b>China RoHs - EFUP</b>	E
<b>Technical data</b>		<b>REACH SVHC substances</b>	No
<b>IP degree of protection</b>	IP44 - IP66 / IP67 / IP69 with CKR 65 (D)	<b>Approvals / Standards</b>	
<b>Further technical details</b>		<b>UL</b>	ECBT2
<b>Weight</b>	62,00 g	<b>cUL</b>	ECBT8
<b>Operating temperature range (min, max)</b>	-40°C...+125°C	<b>General ordering information</b>	
		<b>EAN13 code</b>	8015747056816
		<b>eCl@ss 8.1</b>	27440202
		<b>ETIM 7.0</b>	EC000437
		<b>Packaging Information</b>	
		<b>Packaging length</b>	330,00 mm
		<b>Packaging height</b>	230,00 mm
		<b>Packaging width</b>	205,00 mm
		<b>Packaging weight</b>	7,00 kg
		<b>Packaging volume</b>	15,56 dm <sup>3</sup>
		<b>Packaging description</b>	Carton box
		<b>Packaging quantity</b>	100 Pcs
		<b>Packaging EAN code</b>	8015747222273
		<b>Sub-packaging length</b>	185,00 mm
		<b>Sub-packaging height</b>	40,00 mm
		<b>Sub-packaging width</b>	155,00 mm
		<b>Sub-packaging weight</b>	0,70 kg
		<b>Sub-packaging volume</b>	1,15 dm <sup>3</sup>
		<b>Sub-packaging description</b>	Carton box
		<b>Sub-packaging quantity</b>	10 Pcs
		<b>Sub-packaging EAN barcode</b>	8015747056823


Part number

**MKA VG20**




# Catalogue drawings


## CKA VS - MKA V



## CKA VAS - MKA VA



## CKA VAS - MKA VA



## CKAX VGS - MKAX VG

