

Part number

# TM 2344 T2



Box, TM series, for 2 TM interlocked socket outlets without base box


| Product description                     |                                                                        | Material properties          |                                                                                |
|-----------------------------------------|------------------------------------------------------------------------|------------------------------|--------------------------------------------------------------------------------|
| Product type                            | Box                                                                    | Colour                       | RAL 7012 grey                                                                  |
| Series                                  | TM                                                                     |                              | Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight |
| Size                                    | 114 x 255 mm fixing distance, for assembly in single or multiple boxes | RoHs conformity              |                                                                                |
| Specification                           | For 2 TM interlocked socket outlets without base box                   | China RoHs - EFUP            | 50                                                                             |
| Technical data                          |                                                                        | REACH SVHC substances        | Yes<br>Lead                                                                    |
| IP degree of protection                 | IP66 / IP67                                                            | SCIP number                  | B0214dad-d2d9-4e91-a5b4-f4c9b4612083                                           |
| Further technical details               |                                                                        | General ordering information |                                                                                |
| Weight                                  | 1.260,00 g                                                             | EAN13 code                   | 8015747090681                                                                  |
| Operating temperature range (min, max)  | -25°C ... +40°C                                                        | Packaging Information        |                                                                                |
| IK rating (impact degree of protection) | IK10                                                                   | Packaging weight             | 5,04 kg                                                                        |
|                                         |                                                                        | Packaging volume             | 38,87 dm <sup>3</sup>                                                          |
|                                         |                                                                        | Packaging description        | Carton box                                                                     |
|                                         |                                                                        | Packaging quantity           | 4 Pcs                                                                          |
|                                         |                                                                        | Packaging EAN code           | 8015747090698                                                                  |
|                                         |                                                                        | Sub-packaging weight         | 1,26 kg                                                                        |
|                                         |                                                                        | Sub-packaging description    | Plastic packaging                                                              |
|                                         |                                                                        | Sub-packaging quantity       | 1 Pcs                                                                          |
|                                         |                                                                        | Sub-packaging EAN barcode    | 8015747090704                                                                  |

Part number


**TM 2344 T2**




## TM 2344 T2



## TM 2344 T2



## TM 3444 T3



## TM 3444 T3

