

Part number

CDFD 0.3



Female crimp contact, CD series, 10 A, turned gold plated, wire cross section 0,14 - 0,37 mm², AWG 26 - 22

Product description

| | |
|---------------------|---------------|
| Product type | Crimp contact |
| Series | CD |
| Gender | Female |

Technical data

| | |
|---------------------------|---|
| Current | 10 A |
| Wire cross-section | 0,14 mm ² - 0,37 mm ² |
| AWG size | 26 - 22 |
| Contact type | Turned gold plated |

Further technical details

| | |
|---|------------------|
| Weight | 0,70 g |
| Operating temperature range (min, max) | -40°C ... +125°C |
| Conductors stripping length | 8 mm |

Material properties

| | |
|------------------------|--|
| Main material | Copper alloy |
| RoHs conformity | Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight |

China RoHs - EFUP

50

REACH SVHC substances

Yes
Lead

SCIP number C0979fba-9907-458f-a94a-db781440f273

Approvals / Standards

| | |
|-----------------------|----------|
| Certifications | CSA, EAC |
| UL | ECBT2 |

General ordering information

| | |
|-------------------|---------------|
| EAN13 code | 8015747014809 |
| eCl@ss 8.1 | 27440204 |
| ETIM 7.0 | EC000796 |

Packaging Information


| | |
|----------------------------------|----------------------|
| Packaging length | 112,00 mm |
| Packaging height | 95,00 mm |
| Packaging width | 117,00 mm |
| Packaging weight | 1,26 kg |
| Packaging volume | 1,24 dm ³ |
| Packaging description | Carton box |
| Packaging quantity | 1600 Pcs |
| Packaging EAN code | 8015747206808 |
| Sub-packaging length | 50,00 mm |
| Sub-packaging height | 44,00 mm |
| Sub-packaging width | 50,00 mm |
| Sub-packaging weight | 0,16 kg |
| Sub-packaging volume | 0,11 dm ³ |
| Sub-packaging description | Plastic box |
| Sub-packaging quantity | 200 Pcs |
| Sub-packaging EAN barcode | 8015747014816 |

Part number

CDFD 0.3



Catalogue drawings



CDF and CDM contacts

| conductor section mm ² | conductor slot $\varnothing A$ (mm) | conductors stripping length B (mm) |
|--------------------------------------|--|---------------------------------------|
| 0,14-0,37 | 0,9 | 8 |
| 0,5 | 1,1 | 8 |
| 0,75 | 1,3 | 8 |
| 1,0 | 1,45 | 8 |
| 1,5 | 1,8 | 8 |
| 2,5 | 2,2 | 6 |

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
