


Part number

CIF 2.4



Interface for printed circuit, 6 poles, for up to 2,4 mm thick PCB

Product description

Product type	Interface for printed circuit
N. of poles	6 poles
Specification	For up to 2,4 mm thick PCB

Technical data

Current	6 A
Contact type	Turned gold plated

Further technical details

Weight	2,80 g
Operating temperature range (min, max)	-40°C...+125°C

Material properties

Main material	Polycarbonate (PC)
Other materials	Contacts: copper alloy
Colour	RAL 7032 grey
RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
China RoHs - EFUP	50
REACH SVHC substances	Yes Lead
SCIP number	022a8a72-7a4c-443a-a1ad-2461ccc7884c

Approvals / Standards

Certifications	DNV
UL	ECBT2
cUL	ECBT8

General ordering information

EAN13 code	8015747026031
eCl@ss 8.1	27449290
ETIM 7.0	EC002637

Packaging Information

Packaging length	132,00 mm
Packaging height	108,00 mm
Packaging width	210,00 mm
Packaging weight	1,88 kg
Packaging volume	2,99 dm ³
Packaging description	Carton box
Packaging quantity	500 Pcs
Packaging EAN code	8015747225526
Sub-packaging length	1,00 mm
Sub-packaging height	1,00 mm
Sub-packaging width	1,00 mm
Sub-packaging weight	0,38 kg
Sub-packaging description	Plastic box
Sub-packaging quantity	100 Pcs
Sub-packaging EAN barcode	8015747026048

Part number

CIF 2.4



Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
