


Part number

# CW 5 MIAM



Male HDMI connector, CW patch cords series, type A, for male connector, 5 m cable, with cable clamp

## Product description

### Technical data

<b>Rated impulse withstand voltage</b>	0,8 kV
<b>Pollution degree</b>	3
<b>IP degree of protection</b>	IP20 without enclosure, IP65/IP66/IP68/IP69 with enclosure

### Further technical details

<b>Characteristics according to EN 61984</b>	0,5 A 40 V 0,8 kV 3
<b>Weight</b>	138,50 g
<b>Operating temperature range (min, max)</b>	-40°C ... +75°C

## Material properties

<b>RoHS conformity</b>	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
<b>China RoHS - EFUP</b>	50
<b>REACH SVHC substances</b>	Yes Lead
<b>SCIP number</b>	8b60cf05-8f5f-42af-80f1-e79cea373159

## General ordering information

<b>EAN13 code</b>	8015747000956
<b>ETIM 7.0</b>	EC001262

## Packaging Information


<b>Sub-packaging weight</b>	0,14 kg
<b>Sub-packaging description</b>	Plastic packaging
<b>Sub-packaging quantity</b>	1 Pcs
<b>Sub-packaging EAN barcode</b>	8015747000970

Part number


# CW 5 MIAM



Catalogue drawings



Catalogue drawings



## Notes

Due to the reduced electrical engagement length of the HDMI standard, the modules have to be installed in enclosure combinations that allow the coupling of the two MIXO frames within 20,5 mm between the fixing points. The following enclosures are recommended:

- V-TYPE housings coupled with metal hoods
- JEI@-V housings coupled with metal hoods

- T-TYPE enclosures with PE jumpers
- MIXO ONE enclosures
- COB panel supports

With the CX 01 MIM male module, it is mandatory to use the CW ... MIAM patch cord, supplied with a specific cable clamp, tailored to fit the outline of the HDMI connector.

With the CX 01 MIF female module, it is mandatory to use the CW ... MIAF patch cord, twin of the CW ... MIAM but without the cable clamp.

For high quality video signal transmission, with HDMI Type A connectors (19-pole + shield).  
Supports HDMI 1.4 standard (HDMI = High Definition Multimedia Interface), full Ultra HD 4k@30 Hz, 4096 x 2160p resolution.  
Supports Ethernet up to and including 10 Gb/s.  
Supports ARC (Audio Return Channel).

---

### **California Proposition 65 Information**



### **WARNING**

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---