

Part number

# TM 2344 T2



Box, TM series, for 2 TM interlocked socket outlets without base box


Product description		Material properties	
<b>Product type</b>	Box	<b>Colour</b>	RAL 7012 grey
<b>Series</b>	TM		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
<b>Size</b>	114 x 255 mm fixing distance, for assembly in single or multiple boxes	<b>RoHs conformity</b>	50
<b>Specification</b>	For 2 TM interlocked socket outlets without base box	<b>China RoHs - EFUP</b>	Yes
Technical data		<b>REACH SVHC substances</b>	Lead
<b>IP degree of protection</b>	IP66 / IP67	<b>SCIP number</b>	B0214dad-d2d9-4e91-a5b4-f4c9b4612083
Further technical details		General ordering information	
<b>Weight</b>	1.260,00 g	<b>EAN13 code</b>	8015747090681
<b>Operating temperature range (min, max)</b>	-25°C ... +40°C	Packaging Information	
<b>IK rating (impact degree of protection)</b>	IK10	<b>Packaging weight</b>	5,04 kg
		<b>Packaging volume</b>	38,87 dm <sup>3</sup>
		<b>Packaging description</b>	Carton box
		<b>Packaging quantity</b>	4 Pcs
		<b>Packaging EAN code</b>	8015747090698
		<b>Sub-packaging weight</b>	1,26 kg
		<b>Sub-packaging description</b>	Plastic packaging
		<b>Sub-packaging quantity</b>	1 Pcs
		<b>Sub-packaging EAN barcode</b>	8015747090704

Part number


**TM 2344 T2**




### TM 2344 T2




### TM 2344 T2



### TM 3444 T3



### TM 3444 T3



# Notes

Dimensions shown in mm are not binding and may be changed without notice.

---