

Part number

# TM 2656 DT



Assembled modular base, TM series,  
composed of 1 TM 1145 TB and 1 TM 1456 TB  
back plates and 1 TM 2614 GB box

Product description	
<b>Product type</b>	Assembled modular base
<b>Series</b>	TM
<b>Specification</b>	Composed of 1 TM 1145 TB and 1 TM 1456 TB back plates and 1 TM 2614 GB box
Technical data	
<b>IP degree of protection</b>	IP66 / IP67
Further technical details	
<b>Weight</b>	2.060,00 g
<b>Operating temperature range (min, max)</b>	-25°C ... +40°C
<b>IK rating (impact degree of protection)</b>	IK10



Material properties	
<b>Colour</b>	RAL 7012 grey
<b>RoHs conformity</b>	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
<b>China RoHs - EFUP</b>	50
<b>REACH SVHC substances</b>	Yes Lead
<b>SCIP number</b>	B0214dad-d2d9-4e91-a5b4-f4c9b4612083
General ordering information	
<b>EAN13 code</b>	8015747096539
Packaging Information	
<b>Packaging length</b>	630,00 mm
<b>Packaging height</b>	300,00 mm
<b>Packaging width</b>	280,00 mm
<b>Packaging weight</b>	4,12 kg
<b>Packaging volume</b>	52,92 dm <sup>3</sup>
<b>Packaging description</b>	Carton box
<b>Packaging quantity</b>	2 Pcs
<b>Packaging EAN code</b>	8015747111348
<b>Sub-packaging weight</b>	2,06 kg
<b>Sub-packaging description</b>	Plastic packaging
<b>Sub-packaging quantity</b>	1 Pcs
<b>Sub-packaging EAN barcode</b>	8015747116107

Part number

**TM 2656 DT**



Catalogue drawings



# Notes

Dimensions shown in mm are not binding and may be changed without notice.

---