

Part number

CDF2D 0.3



Female crimp contact, CD series, 10 A, turned gold plated, wire cross section 0,14 - 0,37 mm², AWG 26 - 22, high thickness gold plating


| | | | |
|------------------------------------|---|-------------------------------------|--|
| Product description | | Material properties | |
| Product type | Crimp contact | Main material | Copper alloy |
| Series | CD | | Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight |
| Gender | Female | RoHs conformity | 50 |
| Specification | High thickness gold plating | China RoHs - EFUP | Yes |
| Technical data | | REACH SVHC substances | Lead |
| Current | 10 A | SCIP number | C0979fba-9907-458f-a94a-db781440f273 |
| Wire cross-section | 0,14 mm ² - 0,37 mm ² | Approvals / Standards | |
| AWG size | 26 - 22 | Certifications | CSA, EAC |
| Contact type | Turned gold plated | UL | ECBT2 |
| Further technical details | | General ordering information | |
| Weight | 0,60 g | EAN13 code | 8015747113687 |
| Conductors stripping length | 8 mm | eCl@ss 8.1 | 27440204 |
| | | ETIM 7.0 | EC000796 |
| | | Packaging Information | |
| | | Sub-packaging length | 50,00 mm |
| | | Sub-packaging height | 44,00 mm |
| | | Sub-packaging width | 50,00 mm |
| | | Sub-packaging weight | 0,12 kg |
| | | Sub-packaging volume | 0,11 dm ³ |
| | | Sub-packaging description | Plastic box |
| | | Sub-packaging quantity | 200 Pcs |
| | | Sub-packaging EAN barcode | 8015747113946 |

Part number

CDF2D 0.3



Catalogue drawings



CDF2D and CDM2D contacts

| conductor section mm ² | conductor slot $\varnothing A$ (mm) | conductors stripping length B (mm) |
|--------------------------------------|--|---------------------------------------|
| 0,14-0,37 | 0,9 | 8 |
| 0,5 | 1,1 | 8 |
| 0,75 | 1,3 | 8 |
| 1,0 | 1,45 | 8 |
| 1,5 | 1,8 | 8 |
| 2,5 | 2,2 | 6 |

Notes

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
