

Part number

CKA 03 APS



Angled Bulkhead mounting housing, CKA series, with 1 lever, Pg11 cable entry, size "21.21", bulkhead hole closed

Product description		Material properties	
Product type	Angled bulkhead mounting housing	Main material	Zinc die-cast
Series	CKA	Other materials	Lever: Galvanized steel
Closing type	With 1 lever	Colour	RAL 7040 grey
Size	Size "21.21"	RoHs conformity	Compliant
Cable entry	With cable entry Pg11	China RoHs - EFUP	E
Specification	Bulkhead hole closed	REACH SVHC substances	No
Technical data		Approvals / Standards	
IP degree of protection	IP44 - IP66 / IP67 / IP69 with CKR 65 (D)	UL	ECBT2
Further technical details		cUL	ECBT8
Further technical details		General ordering information	
Weight	71,00 g	EAN13 code	8015747026840
Operating temperature range (min, max)	-40°C...+125°C	Packaging Information	
		Packaging length	450,00 mm
		Packaging height	175,00 mm
		Packaging width	230,00 mm
		Packaging weight	8,14 kg
		Packaging volume	18,11 dm ³
		Packaging description	Carton box
		Packaging quantity	100 Pcs
		Packaging EAN code	8015747223065
		Sub-packaging length	210,00 mm
		Sub-packaging height	40,00 mm
		Sub-packaging width	175,00 mm
		Sub-packaging weight	0,81 kg
		Sub-packaging volume	1,47 dm ³
		Sub-packaging description	Carton box
		Sub-packaging quantity	10 Pcs
		Sub-packaging EAN barcode	8015747026857

Part number




CKA 03 APS





Catalogue drawings

Catalogue drawings



CKA IA





CKAX IA



CKA IAPS (CKA APS) MKA - IAP (MKA AP)



CKAX IAPS (CKAX APS) - MKAX IAP (MKAX AP)



Notes

