

Part number

# CYFA 25



Female crimp contact, CY series, 200 A, turned silver plated, wire cross section 25 mm<sup>2</sup>, AWG 4


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CY		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Female	RoHs conformity	
Technical data		China RoHs - EFUP	50
Current	200 A	REACH SVHC substances	Yes Lead
Wire cross-section	25,00 mm <sup>2</sup>	SCIP number	C0979fba-9907-458f-a94a-db781440f273
AWG size	4	Approvals / Standards	
Contact type	Turned silver plated	Certifications	CSA, EAC
Further technical details		UL	ECBT2
Weight	30,50 g	General ordering information	
		EAN13 code	8015747168090
		eCl@ss 8.1	27440204
		ETIM 7.0	EC000796
		Packaging Information	
		Packaging length	112,00 mm
		Packaging height	95,00 mm
		Packaging width	117,00 mm
		Packaging weight	1,40 kg
		Packaging volume	1,24 dm <sup>3</sup>
		Packaging description	Carton box
		Packaging quantity	40 Pcs
		Packaging EAN code	8015747225434
		Sub-packaging length	50,00 mm
		Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,18 kg
		Sub-packaging volume	0,11 dm <sup>3</sup>
		Sub-packaging description	Plastic box
		Sub-packaging quantity	5 Pcs
		Sub-packaging EAN barcode	8015747045186

Part number

# CYFA 25



## Catalogue drawings



### CYF and CYM contacts

conductor section $\varnothing A$ (mm <sup>2</sup> )	conductor slot (mm)	conductor stripping length (mm)
16	6,1	15
25	7,0	15
35	8,2	15
50	9,8	15
70	11,8	15

Notes

## California Proposition 65 Information



### **WARNING**

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---