

Part number

# MFVN 06 L25



Hood, LS-TYPE series, with 2 pegs, M25 top cable entry without adapter, size "44.27", high construction

#### Product description

<b>Product type</b>	Hood
<b>Series</b>	LS-TYPE
<b>Closing type</b>	With 2 pegs
<b>Size</b>	Size 44.27
<b>Cable entry</b>	Top cable entry M25
<b>Specification</b>	High construction

#### Technical data

<b>IP degree of protection</b>	IP65
<b>Further technical details</b>	
<b>Weight</b>	0,50 g
<b>Operating temperature range (min, max)</b>	-40°C...+125°C

#### Material properties

<b>Colour</b>	RAL 9005 black
<b>RoHs conformity</b>	Compliant
<b>China RoHs - EFUP</b>	E
<b>REACH SVHC substances</b>	No

#### Approvals / Standards

<b>Certifications</b>	DNV, BV
<b>UL</b>	ECBT2
<b>cUL</b>	ECBT8

#### General ordering information

<b>EAN13 code</b>	8015747163163
<b>eCl@ss 8.1</b>	27440202
<b>ETIM 7.0</b>	EC000437

#### Packaging Information

<b>Packaging length</b>	175,00 mm
<b>Packaging height</b>	195,00 mm
<b>Packaging width</b>	260,00 mm
<b>Packaging volume</b>	8,87 dm <sup>3</sup>
<b>Packaging description</b>	Carton box
<b>Packaging quantity</b>	20 Pcs
<b>Packaging EAN code</b>	8015747187763
<b>Sub-packaging description</b>	Plastic packaging
<b>Sub-packaging quantity</b>	5 Pcs
<b>Sub-packaging EAN barcode</b>	8015747187770

# Part number MFVN 06 L25



Catalogue drawings



Catalogue drawings

**CH..N - MA, MF..N enclosures**      size "44.27"      LS-TYPE version

<p>inserts:      page</p> <p><b>CDD</b> ..... 24 poles + ⊕      59 *</p> <p><b>CQE</b> ..... 10 poles + ⊕      80 *</p> <p><b>CSH</b> ..... 6 poles + ⊕      88 *</p> <p><b>CCE</b> ..... 6 poles + ⊕      94 *</p> <p><b>CNE, CSE, JONE, JOSE</b> 6 poles + ⊕ 95 and 103 *</p> <p><b>CSS</b> ..... 6 poles + ⊕      118 *</p> <p><b>CTE, CTSE **)</b> ..... 6 poles + ⊕      126 *</p> <p><b>MIXO</b> ..... 2 modules      160+195 *</p> <p>insert centre distance: <b>44 x 27 mm</b></p> <p>* refer to catalogue page CN.12</p>	<p><b> housings with single lever</b></p>	<p><b> hoods with 2 pegs</b></p>																																			
<table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left; border-bottom: 1px solid black;">description</th> <th style="text-align: left; border-bottom: 1px solid black;">part no.</th> <th style="text-align: left; border-bottom: 1px solid black;">entry</th> <th style="text-align: left; border-bottom: 1px solid black;">part no.</th> <th style="text-align: left; border-bottom: 1px solid black;">entry</th> </tr> <tr> <td>bulkhead mounting housing, with lever</td> <td><b>CHIN 06 L</b></td> <td>M</td> <td></td> <td></td> </tr> <tr> <td>surface mounting housing, high construction, with lever</td> <td><b>MAPN 06 L32</b></td> <td><b>32</b></td> <td></td> <td></td> </tr> <tr> <td>with pegs, side entry</td> <td></td> <td></td> <td><b>MHON 06 L25</b></td> <td><b>25</b></td> </tr> <tr> <td>with pegs, side entry, high construction</td> <td></td> <td></td> <td><b>MFON 06 L25</b></td> <td><b>25</b></td> </tr> <tr> <td>with pegs, top entry</td> <td></td> <td></td> <td><b>MHVN 06 L25</b></td> <td><b>25</b></td> </tr> <tr> <td>with pegs, top entry, high construction</td> <td></td> <td></td> <td><b>MFVN 06 L25</b></td> <td><b>25</b></td> </tr> </table>	description	part no.	entry	part no.	entry	bulkhead mounting housing, with lever	<b>CHIN 06 L</b>	M			surface mounting housing, high construction, with lever	<b>MAPN 06 L32</b>	<b>32</b>			with pegs, side entry			<b>MHON 06 L25</b>	<b>25</b>	with pegs, side entry, high construction			<b>MFON 06 L25</b>	<b>25</b>	with pegs, top entry			<b>MHVN 06 L25</b>	<b>25</b>	with pegs, top entry, high construction			<b>MFVN 06 L25</b>	<b>25</b>	<p>dimensions in mm</p> <p><b>CHIN 06 L</b></p> <p><b>MAPN 06 L32</b></p>	<p>dimensions in mm</p> <p><b>MFON 06 L25</b></p> <p><b>MFVN 06 L25</b></p> <p><b>MHON 06 L25</b></p> <p><b>MHVN 06 L25</b></p>
description	part no.	entry	part no.	entry																																	
bulkhead mounting housing, with lever	<b>CHIN 06 L</b>	M																																			
surface mounting housing, high construction, with lever	<b>MAPN 06 L32</b>	<b>32</b>																																			
with pegs, side entry			<b>MHON 06 L25</b>	<b>25</b>																																	
with pegs, side entry, high construction			<b>MFON 06 L25</b>	<b>25</b>																																	
with pegs, top entry			<b>MHVN 06 L25</b>	<b>25</b>																																	
with pegs, top entry, high construction			<b>MFVN 06 L25</b>	<b>25</b>																																	
<p>**) <b>only in the CHIN 06 L enclosure</b></p> <p>panel cut-out for bulkhead mounting housing in mm</p> <p>- kiln powder coating with RAL 9005 black epoxy polyester powder - RAL 9005 black self-extinguishing thermoplastic locking lever (spare lever page 12)</p> <div style="text-align: center;"> </div> <p>dimensions shown are not binding and may be changed without notice</p>	<p><b>4</b></p>																																				

## Notes