

Part number

TM 2956 DT



Assembled modular base, TM series,
composed of 2 TM 1456 TB back plates and 1
TM 2914 GB box



Product description		Material properties	
Product type	Assembled modular base	Colour	RAL 7012 grey
Series	TM		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Size	145 x 565 x 18 mm	RoHs conformity	
Specification	Composed of 2 TM 1456 TB back plates and 1 TM 2914 GB box	China RoHs - EFUP	50
Technical data		REACH SVHC substances	Yes Lead
IP degree of protection	IP66 / IP67	SCIP number	B0214dad-d2d9-4e91-a5b4-f4c9b4612083
Further technical details		General ordering information	
Weight	2.310,00 g	EAN13 code	8015747096553
Operating temperature range (min, max)	-25°C ... +40°C	Packaging Information	
IK rating (impact degree of protection)	IK10	Packaging length	630,00 mm
		Packaging height	300,00 mm
		Packaging width	280,00 mm
		Packaging weight	4,62 kg
		Packaging volume	52,92 dm ³
		Packaging description	Carton box
		Packaging quantity	2 Pcs
		Packaging EAN code	8015747111355
		Sub-packaging weight	2,31 kg
		Sub-packaging description	Plastic packaging
		Sub-packaging quantity	1 Pcs
		Sub-packaging EAN barcode	8015747116091

Part number

TM 2956 DT



Catalogue drawings



Notes

