

Part number

# TM 2956 DT



Assembled modular base, TM series,  
composed of 2 TM 1456 TB back plates and 1  
TM 2914 GB box

| Product description                                |  | Material properties                  |  |
|--|--|--------------------------------------|--|
| <b>Product type</b>                                | Assembled modular base                                       | <b>Colour</b>                        | RAL 7012 grey  |
| <b>Series</b>                                      | TM   |                                      | Compliant with exemption<br>6(c): copper alloy containing up to 4% lead by<br>weight |
| <b>Size</b>  | 145 x 565 x 18 mm  | <b>RoHs conformity</b>               |  |
| <b>Specification</b>                               | Composed of 2 TM 1456 TB back plates and 1<br>TM 2914 GB box | <b>China RoHs - EFUP</b>             | 50   |
| Technical data                                     |  | <b>REACH SVHC substances</b>         | Yes<br>Lead  |
| <b>IP degree of protection</b>                     | IP66 / IP67  | <b>SCIP number</b>                   | B0214dad-d2d9-4e91-a5b4-f4c9b4612083   |
| Further technical details                          |  | <b>General ordering information</b>  |  |
| <b>Weight</b>                                      | 2.310,00 g   | <b>EAN13 code</b>                    | 8015747096553  |
| <b>Operating temperature<br/>range (min, max)</b>  | -25°C ... +40°C  | <b>Packaging Information</b>         |  |
| <b>IK rating (impact degree of<br/>protection)</b> | IK10   | <b>Packaging length</b>              | 630,00 mm  |
|  |  | <b>Packaging height</b>              | 300,00 mm  |
|  |  | <b>Packaging width</b>               | 280,00 mm  |
|  |  | <b>Packaging weight</b>              | 4,62 kg  |
|  |  | <b>Packaging volume</b>              | 52,92 dm <sup>3</sup>  |
|  |  | <b>Packaging description</b>         | Carton box   |
|  |  | <b>Packaging quantity</b>            | 2 Pcs  |
|  |  | <b>Packaging EAN code</b>            | 8015747111355  |
|  |  | <b>Sub-packaging weight</b>          | 2,31 kg  |
|  |  | <b>Sub-packaging description</b>     | Plastic packaging  |
|  |  | <b>Sub-packaging quantity</b>        | 1 Pcs  |
|  |  | <b>Sub-packaging EAN<br/>barcode</b> | 8015747116091  |

Part number

**TM 2956 DT**



Catalogue drawings

