

Part number

# CIFJD 0.3



Female crimp contact, CI series, 5 A, gold plated, wire cross section 0,13 - 0,33 mm<sup>2</sup>, AWG 26 - 22, basic gold plating


| Product description                |   | Material properties              |  |
|------------------------------------|---|----------------------------------|--|
| <b>Product type</b>                | Crimp contact                               | <b>Main material</b>             | Copper alloy   |
| <b>Series</b>                      | CI  |                                  | Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight |
| <b>Gender</b>                      | Female                                      | <b>RoHs conformity</b>           | 50   |
| <b>Specification</b>               | Basic gold plating                          | <b>China RoHs - EFUP</b>         | Yes  |
| Technical data                     |   | <b>REACH SVHC substances</b>     | Lead   |
| <b>Current</b>                     | 5 A   | <b>SCIP number</b>               | C0979fba-9907-458f-a94a-db781440f273   |
| <b>Wire cross-section</b>          | 0,13 mm <sup>2</sup> - 0,33 mm <sup>2</sup> | Approvals / Standards            |  |
| <b>AWG size</b>                    | 26 - 22                                     | <b>Certifications</b>            | CSA, EAC   |
| <b>Contact type</b>                | Turned gold plated                          | <b>UL</b>                        | ECBT2  |
| Further technical details          |   | General ordering information     |  |
| <b>Mating cycles</b>               | ≥ 500                                       | <b>EAN13 code</b>                | 8015747275989  |
| <b>Contact resistance</b>          | ≤ 4 mΩ                                      | <b>eCl@ss 8.1</b>                | 27440204   |
| <b>Weight</b>                      | 0,22 g                                      | <b>ETIM 7.0</b>                  | EC000796   |
| <b>Conductors stripping length</b> | 4 mm  | Packaging Information            |  |
|                                    |   | <b>Packaging weight</b>          | 0,31 kg  |
|                                    |   | <b>Packaging description</b>     | Carton box   |
|                                    |   | <b>Packaging quantity</b>        | 1000 Pcs   |
|                                    |   | <b>Packaging EAN code</b>        | 8015747276009  |
|                                    |   | <b>Sub-packaging length</b>      | 75,00 mm   |
|                                    |   | <b>Sub-packaging height</b>      | 89,00 mm   |
|                                    |   | <b>Sub-packaging width</b>       | 110,00 mm  |
|                                    |   | <b>Sub-packaging volume</b>      | 0,73 dm <sup>3</sup>   |
|                                    |   | <b>Sub-packaging description</b> | Plastic bag  |
|                                    |   | <b>Sub-packaging quantity</b>    | 25 Pcs   |
|                                    |   | <b>Sub-packaging EAN barcode</b> | 8015747275996  |

Part number

# CIFJD 0.3



## Catalogue drawings



### CIFJD and CIMJD contacts

| conductor section (mm <sup>2</sup> ) | conductor slot $\varnothing A$ (mm) | conductors stripping length (mm) |
|--------------------------------------|-------------------------------------|----------------------------------|
| 0,08-0,21                            | 0,64                                | 4                                |
| 0,13-0,33                            | 0,90                                | 4                                |
| 0,33-0,52                            | 1,12                                | 4                                |
| 0,52-0,75                            | 1,12                                | 4                                |

## Notes

### California Proposition 65 Information



### WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).