

Part number

TM 2656 DT



Assembled modular base, TM series,
composed of 1 TM 1145 TB and 1 TM 1456 TB
back plates and 1 TM 2614 GB box



Product description		Material properties	
Product type	Assembled modular base	Colour	RAL 7012 grey
Series	TM		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Specification	Composed of 1 TM 1145 TB and 1 TM 1456 TB back plates and 1 TM 2614 GB box	RoHs conformity	
Technical data		China RoHs - EFUP	50
IP degree of protection	IP66 / IP67	REACH SVHC substances	Yes Lead
Further technical details		SCIP number	B0214dad-d2d9-4e91-a5b4-f4c9b4612083
Weight	2.060,00 g	General ordering information	
Operating temperature range (min, max)	-25°C ... +40°C	EAN13 code	8015747096539
IK rating (impact degree of protection)	IK10	Packaging Information	
		Packaging length	630,00 mm
		Packaging height	300,00 mm
		Packaging width	280,00 mm
		Packaging weight	4,12 kg
		Packaging volume	52,92 dm ³
		Packaging description	Carton box
		Packaging quantity	2 Pcs
		Packaging EAN code	8015747111348
		Sub-packaging weight	2,06 kg
		Sub-packaging description	Plastic packaging
		Sub-packaging quantity	1 Pcs
		Sub-packaging EAN barcode	8015747116107

Part number

TM 2656 DT



Catalogue drawings



Notes