

Codice articolo

# CX MLM



Contatto crimp fibra ottica maschio, serie POF / MOST®, massimo diametro esterno 2,3 mm, diametro fibra 1/1,5 mm

#### Descrizione prodotto

<b>Tipo prodotto</b>	Contatto crimp fibra ottica
<b>Serie</b>	POF / MOST®
<b>Genere</b>	
<b>Specifica</b>	Massimo diametro esterno 2,3 mm Diametro fibra 1/1,5 mm

#### Ulteriori dettagli tecnici

<b>Peso</b>	2,80 g
-------------	--------

#### Informazioni commerciali

<b>Codice EAN13</b>	8015747173421
<b>Classificazione ecl@ss</b>	27440204
<b>Classificazione ETIM</b>	EC000796





#### Caratteristiche imballaggio

<b>Descrizione sottoimballo</b>	Sacchetto
<b>Quantità sottoimballo</b>	1 pz
<b>Codice EAN13 sottoimballo</b>	8015747279420

Codice articolo  
**CX MLM**



Disegni da catalogo



## Note

\*\*\* MOST = Media Oriented System Transport

- per crimpatura contatti CX PLF / PLM e CX MLF / MLM utilizzare pinza CLPZ R

- diametro esterno max.: 2,2 mm (POF) / 2,3 mm (MOST)

- diametro fibra polimerica: 1,0 mm (POF) 1/1,5 mm (MOST)

- attenuazione: < 2,5 dB

- range temperatura: -40 °C ÷ +85 °C

---

**California Proposition 65 Information**



**WARNING**

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---

Le misure indicate non sono impegnative e possono essere variate senza alcun preavviso.

---