


Part number

# PEW 1635 SI



Flush-mounting plug, PLUSO series, 3 poles + N + PE, 3 h (red), 16 A, 380 V

| Product description                           |   | Material properties          |   |
|---|---|------------------------------|---|
| <b>Product type</b>                           | Plug<br>Flush-mounting  | <b>Colour</b>                | RAL 7035 grey, RAL 3000 red   |
| <b>Series</b>                                 | PEW...SI, PLUSO   | <b>RoHs conformity</b>       | Compliant with exemption<br>6(c): copper alloy containing up to 4% lead by weight |
| <b>N. of poles</b>                            | 3 poles + N +  | <b>China RoHs - EFUP</b>     | 50  |
| <b>Clock position</b>                         | 3   | <b>REACH SVHC substances</b> | Yes<br>Lead   |
| Technical data                                |   | <b>SCIP number</b>           | Ca7de37f-add8-4b77-9861-279c94903ade  |
| <b>Current</b>                                | 16 A  | Approvals / Standards        |   |
| <b>Voltage</b>                                | 220/380V (50Hz) 250/440V (60Hz)   | <b>Reference standard</b>    | EN 60309-1 and -2   |
| <b>IP degree of protection</b>                | IP67  | General ordering information |   |
| Further technical details                     |   | <b>EAN13 code</b>            | 8015747071857   |
| <b>Weight</b>                                 | 213,00 g  | Packaging Information        |   |
| <b>Operating temperature range (min, max)</b> | -25°C ... +40°C   | <b>Packaging length</b>      | 330,00 mm   |
|   |   | <b>Packaging height</b>      | 175,00 mm   |
|   |   | <b>Packaging width</b>       | 295,00 mm   |
|   |   | <b>Packaging weight</b>      | 2,55 kg   |
|   |   | <b>Packaging volume</b>      | 17,04 dm <sup>3</sup>   |
|   |   | <b>Packaging description</b> | Carton box  |
|   |   | <b>Packaging quantity</b>    | 10 Pcs  |
|   |   | <b>Packaging EAN code</b>    | 8015747071864   |

Part number

# PEW 1635 SI



Catalogue drawings

(16 / 32A) PEW ... SI



| PEW ... SI | A      | B  | C   | D   | E   | F  | G  | H    | X   | Y  |    |
|------------|--------|----|-----|-----|-----|----|----|------|-----|----|----|
| <b>16A</b> | 2P+⊕   | 65 | 82  | 126 | 81  | 41 | 43 | 21,5 | 70  | 52 | 60 |
|            | 3P+⊕   | 65 | 82  | 126 | 81  | 47 | 43 | 24,5 | 78  | 52 | 60 |
|            | 3P+N+⊕ | 90 | 100 | 146 | 93  | 54 | 60 | 27,5 | 86  | 77 | 85 |
| <b>32A</b> | 2P+⊕   | 90 | 100 | 160 | 101 | 55 | 60 | 27,5 | 92  | 77 | 85 |
|            | 3P+⊕   | 90 | 100 | 160 | 101 | 55 | 60 | 27,5 | 92  | 77 | 85 |
|            | 3P+N+⊕ | 90 | 100 | 160 | 101 | 62 | 60 | 27,5 | 100 | 77 | 85 |