

Part number

CC 0.5 AN



Male crimp contact, CC series, 16 A, turned silver plated, wire cross section 0,5 mm², AWG 20, advanced opening


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CC		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Male	RoHs conformity	
Specification	Advanced opening	China RoHs - EFUP	50
Technical data		REACH SVHC substances	Yes Lead
Current	16 A	SCIP number	C0979fba-9907-458f-a94a-db781440f273
Wire cross-section	0,50 mm ²	Approvals / Standards	
AWG size	20	Certifications	CSA, EAC
Contact type	Turned silver plated	UL	ECBT2
Further technical details		General ordering information	
Weight	1,20 g	EAN13 code	8015747011174
Operating temperature range (min, max)	-40°C ... +125°C	eCl@ss 8.1	27440204
Conductors stripping length	7,5 mm	ETIM 7.0	EC000796
Packaging Information			
Sub-packaging length	50,00 mm	Sub-packaging length	50,00 mm
Sub-packaging height	44,00 mm	Sub-packaging height	44,00 mm
Sub-packaging width	50,00 mm	Sub-packaging width	50,00 mm
Sub-packaging weight	0,06 kg	Sub-packaging weight	0,06 kg
Sub-packaging volume	0,11 dm ³	Sub-packaging volume	0,11 dm ³
Sub-packaging description	Plastic box	Sub-packaging description	Plastic box
Sub-packaging quantity	50 Pcs	Sub-packaging quantity	50 Pcs
Sub-packaging EAN barcode	8015747011181	Sub-packaging EAN barcode	8015747011181

Part number

CC 0.5 AN



Catalogue drawings



CCF, CCM and CC..AN contacts

conductor section mm^2	conductor slot $\varnothing A$ (mm)	conductors stripping length (mm)
0,14-0,37	0,9	7,5
0,5	1,1	7,5
0,75	1,3	7,5
1,0	1,45	7,5
1,5	1,8	7,5
2,5	2,2	7,5
3	2,55	7,5
4	2,85	7,5