

Part number

TM 1414 GB



Box, TM series, with hinged cover, for TM 1456 TB plate

Product description

| | |
|----------------------|---|
| Product type | Box |
| Series | TM |
| Specification | With hinged cover For TM 1456 TB plate |

Technical data

| | |
|--|-----------------|
| IP degree of protection | IP66 / IP67 |
| Further technical details | |
| Weight | 730,50 g |
| Operating temperature range (min, max) | -25°C ... +40°C |
| IK rating (impact degree of protection) | IK10 |

Material properties

| | |
|------------------------------|--|
| Colour | RAL 7012 grey |
| RoHs conformity | Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight |
| China RoHs - EFUP | 50 |
| REACH SVHC substances | Yes Lead |
| SCIP number | B0214dad-d2d9-4e91-a5b4-f4c9b4612083 |

General ordering information

| | |
|-------------------|---------------|
| EAN13 code | 8015747089418 |
|-------------------|---------------|

Packaging Information

| | |
|----------------------------------|-----------------------|
| Packaging length | 315,00 mm |
| Packaging height | 175,00 mm |
| Packaging width | 265,00 mm |
| Packaging weight | 3,23 kg |
| Packaging volume | 14,61 dm ³ |
| Packaging description | Carton box |
| Packaging quantity | 4 Pcs |
| Packaging EAN code | 8015747089425 |
| Sub-packaging weight | 0,81 kg |
| Sub-packaging description | Plastic packaging |
| Sub-packaging quantity | 1 Pcs |
| Sub-packaging EAN barcode | 8015747089432 |



Part number

TM 1414 GB



Catalogue drawings

TM 1114 DB



TM 1414 DB

