


Part number

CIF 5 2.4



Interface for printed circuit, 5 poles, for use in combination with 2 CIF 2.4, for up to 2,4 mm thick PCB

Product description		Material properties	
Product type	Interface for printed circuit	Main material	Polycarbonate (PC)
N. of poles	5 poles	Other materials	Contacts: copper alloy
Specification	6C5 For up to 2,4 mm thick PCB	Colour	RAL 7032 grey
Technical data		RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Rated voltage according to UL/CSA	160 V	China RoHs - EFUP	50
Contact type	Turned gold plated	REACH SVHC substances	Yes Lead
Further technical details		SCIP number	022a8a72-7a4c-443a-a1ad-2461ccc7884c
Characteristics according to EN 61984	7,5 A 160 V 2,5 kV 3	Approvals / Standards	
Insulation resistance	≥ 10 GΩ	Certifications	DNV
Weight	2,04 g	General ordering information	
Operating temperature range (min, max)	-40°C...+125°C	EAN13 code	8015747181488
		eCl@ss 8.1	27449290
		ETIM 7.0	EC002637
		Packaging Information	
		Packaging length	112,00 mm
		Packaging height	95,00 mm
		Packaging width	117,00 mm
		Packaging weight	0,34 kg
		Packaging volume	1,24 dm ³
		Packaging description	Carton box
		Packaging quantity	80 Pcs
		Packaging EAN code	8015747181495
		Sub-packaging length	50,00 mm
		Sub-packaging height	44,00 mm
		Sub-packaging width	50,00 mm
		Sub-packaging weight	0,04 kg
		Sub-packaging volume	0,11 dm ³
		Sub-packaging description	Plastic box
		Sub-packaging quantity	10 Pcs
		Sub-packaging EAN barcode	8015747181631

Part number

CIF 5 2.4



Catalogue drawings

